

**PHP Version 5.2.5**

<b>System</b>	Windows NT HCMONITOR 5.2 build 3790
<b>Build Date</b>	Nov 8 2007 23:18:08
<b>Configure Command</b>	cscript /nologo configure.js "--enable-snapshot-build" "--with-gd=shared"
<b>Server API</b>	ISAPI
<b>Virtual Directory Support</b>	enabled
<b>Configuration File (php.ini) Path</b>	C:\WINDOWS
<b>Loaded Configuration File</b>	C:\PHP\php.ini
<b>PHP API</b>	20041225
<b>PHP Extension</b>	20060613
<b>Zend Extension</b>	220060519
<b>Debug Build</b>	no
<b>Thread Safety</b>	enabled
<b>Zend Memory Manager</b>	enabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	php, file, data, http, ftp, compress.zlib
<b>Registered Stream Socket Transports</b>	tcp, udp
<b>Registered Stream Filters</b>	convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, zlib.*

This program makes use of the Zend Scripting Language Engine:  
Zend Engine v2.2.0, Copyright (c) 1998-2007 Zend Technologies



## PHP Credits

## Configuration

### PHP Core

Directive	Local Value	Master Value
<b>allow_call_time_pass_reference</b>	On	On
<b>allow_url_fopen</b>	On	On
<b>allow_url_include</b>	Off	Off
<b>always_populate_raw_post_data</b>	Off	Off
<b>arg_separator.input</b>	&	&
<b>arg_separator.output</b>	&	&
<b>asp_tags</b>	Off	Off
<b>auto_append_file</b>	<i>no value</i>	<i>no value</i>
<b>auto_globals_jit</b>	On	On
<b>auto_prepend_file</b>	<i>no value</i>	<i>no value</i>
<b>browscap</b>	<i>no value</i>	<i>no value</i>
<b>default_charset</b>	<i>no value</i>	<i>no value</i>
<b>default_mimetype</b>	text/html	text/html
<b>define_syslog_variables</b>	Off	Off
<b>disable_classes</b>	<i>no value</i>	<i>no value</i>

disable_functions	no value	no value
display_errors	On	On
display_startup_errors	Off	Off
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	On	On
error_append_string	no value	no value
error_log	no value	no value
error_prepend_string	no value	no value
error_reporting	6135	6135
expose_php	On	On
extension_dir	c:\php\ext	c:\php\ext
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.;C:\PHP\pear	.;C:\PHP\pear
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	no value	no value
max_execution_time	120	120
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	128M	128M
open_basedir	no value	no value
output_buffering	no value	no value
output_handler	no value	no value
post_max_size	8M	8M
precision	12	12
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	no value	no value
safe_mode_gid	Off	Off
safe_mode_include_dir	no value	no value
sendmail_from	no value	no value

sendmail_path	no value	no value
serialize_precision	100	100
short_open_tag	On	On
SMTP	smtp.hillsong.com	smtp.hillsong.com
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	2M	2M
upload_tmp_dir	no value	no value
user_dir	no value	no value
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

## bcmath

BCMath support	enabled
----------------	---------

## calendar

Calendar support	enabled
------------------	---------

## com\_dotnet

COM support	enabled
DCOM support	disabled
.Net support	enabled

Directive	Local Value	Master Value
com.allow_dcom	0	0
com.autoregister_casesensitive	1	1
com.autoregister_typelib	0	0
com.autoregister_verbose	0	0
com.code_page	no value	no value
com.typelib_file	no value	no value

## ctype

ctype functions	enabled
-----------------	---------

## date

date/time support	enabled
"Olson" Timezone Database Version	2007.9
Timezone Database	internal
Default timezone	Australia/Melbourne

Directive	Local Value	Master Value
-----------	-------------	--------------

date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.26
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.39 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

## ftp

FTP support	enabled
-------------	---------

## hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

iconv support	enabled
iconv implementation	"libiconv"
iconv library version	1.9

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

## ISAPI

Server Variable	Value
CONTENT_LENGTH	0
PATH_TRANSLATED	D:\webroot\cacti\getinfo.php
REMOTE_ADDR	192.168.253.8
REMOTE_HOST	192.168.253.8
REQUEST_METHOD	GET
SERVER_NAME	hcmmonitor.hillsong.net
SERVER_PORT	80
SERVER_PROTOCOL	HTTP/1.1
SERVER_SOFTWARE	Microsoft-IIS/6.0
APPL_MD_PATH	/LM/W3SVC/1/ROOT
APPL_PHYSICAL_PATH	D:\webroot\
INSTANCE_ID	1
INSTANCE_META_PATH	/LM/W3SVC/1
URL	/cacti/getinfo.php
ALL_HTTP	HTTP_CONNECTION:keep-alive HTTP_KEEP_ALIVE:300 HTTP_ACCEPT:text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5 HTTP_ACCEPT_CHARSET:ISO-8859-1,utf-8;q=0.7,*;q=0.7 HTTP_ACCEPT_ENCODING:gzip,deflate HTTP_ACCEPT_LANGUAGE:en-us,en;q=0.5 HTTP_HOST:hcmmonitor.hillsong.net HTTP_USER_AGENT:Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9) Gecko/20071025 Firefox/2.0.0.9
HTTPS	off
SCRIPT_NAME	/cacti/getinfo.php
SERVER_PORT_SECURE	0

## json

json support	enabled
json version	1.2.1

## libxml

libXML support	active
libXML Version	2.6.26
libXML streams	enabled

## mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	7.0

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10

mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

## mysql

MySQL Support	enabled
Active Persistent Links	1
Active Links	1
Client API version	5.0.45

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

## odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	Win32

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

## pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.3 2007-08-28

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

## Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.47 2007/10/28 13:47:14 iliaa Exp \$

## session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

## SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.35 \$
Schema support	enabled

## snmp

UCD-SNMP Support	enabled
UCD-SNMP Version	ucd-snmp-4.2.3

## sockets

Sockets Support	enabled
-----------------	---------

## SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

## standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Internal Sendmail Support for Windows	enabled

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

## tokenizer

Tokenizer Support	enabled
-------------------	---------

## wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

## xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

## xmlreader

XMLReader	enabled
-----------	---------



## xmlwriter

XMLWriter	enabled
-----------	---------

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

## Additional Modules

Module Name
-------------

## Environment

Variable	Value
ALLUSERSPROFILE	C:\Documents and Settings\All Users
ClusterLog	C:\WINDOWS\Cluster\cluster.log
CommonProgramFiles	C:\Program Files\Common Files
COMPUTERNAME	HCMONITOR
ComSpec	C:\WINDOWS\system32\cmd.exe
FP_NO_HOST_CHECK	NO
MIBDIRS	c:\php\extras\mibs
NUMBER_OF_PROCESSORS	4
OS	Windows_NT
Path	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Program Files\IBM\Director\bin;C:\php;c:\cygwin\bin;C:\net-snmp\bin;C:\Program Files\MySQL\MySQL Server 5.0\bin;c:\Perl\bin
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
PHPRC	c:\php
PROCESSOR_ARCHITECTURE	x86
PROCESSOR_IDENTIFIER	x86 Family 15 Model 4 Stepping 3, GenuineIntel
PROCESSOR_LEVEL	15
PROCESSOR_REVISION	0403
ProgramFiles	C:\Program Files
SystemDrive	C:
SystemRoot	C:\WINDOWS
TEMP	C:\WINDOWS\TEMP
TMP	C:\WINDOWS\TEMP
USERPROFILE	C:\Documents and Settings\Default User
windir	C:\WINDOWS

## PHP Variables

Variable	Value
_SERVER["ALL_HTTP"]	HTTP_CONNECTION:keep-alive HTTP_KEEP_ALIVE:300 HTTP_ACCEPT:text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5 HTTP_ACCEPT_CHARSET:ISO-8859-1,utf-8;q=0.7,*;q=0.7 HTTP_ACCEPT_ENCODING:gzip,deflate HTTP_ACCEPT_LANGUAGE:en-us,en;q=0.5 HTTP_HOST:hcmmonitor.hillsong.net HTTP_USER_AGENT:Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9) Gecko/20071025 Firefox/2.0.0.9
_SERVER["HTTPS"]	off
_SERVER["SCRIPT_NAME"]	/cacti/getinfo.php
_SERVER["HTTP_COOKIE"]	no value
_SERVER["AUTH_PASSWORD"]	no value
_SERVER["AUTH_TYPE"]	no value
_SERVER["AUTH_USER"]	no value
_SERVER["CONTENT_LENGTH"]	0
_SERVER["CONTENT_TYPE"]	no value
_SERVER["PATH_TRANSLATED"]	D:\webroot
_SERVER["QUERY_STRING"]	no value
_SERVER["REMOTE_ADDR"]	192.168.253.8
_SERVER["REMOTE_HOST"]	192.168.253.8
_SERVER["REMOTE_USER"]	no value
_SERVER["REQUEST_METHOD"]	GET
_SERVER["SERVER_NAME"]	hcmmonitor.hillsong.net
_SERVER["SERVER_PORT"]	80
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["SERVER_SOFTWARE"]	Microsoft-IIS/6.0
_SERVER["APPL_MD_PATH"]	/LM/W3SVC/1/ROOT
_SERVER["APPL_PHYSICAL_PATH"]	D:\webroot\
_SERVER["INSTANCE_ID"]	1
_SERVER["INSTANCE_META_PATH"]	/LM/W3SVC/1
_SERVER["LOGON_USER"]	no value
_SERVER["REQUEST_URI"]	/cacti/getinfo.php
_SERVER["URL"]	/cacti/getinfo.php
_SERVER["SCRIPT_FILENAME"]	D:\webroot\cacti\getinfo.php
_SERVER["ORIG_PATH_INFO"]	/cacti/getinfo.php
_SERVER["PATH_INFO"]	no value
_SERVER["ORIG_PATH_TRANSLATED"]	D:\webroot\cacti\getinfo.php
_SERVER["DOCUMENT_ROOT"]	D:\webroot
_SERVER["PHP_SELF"]	/cacti/getinfo.php
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_KEEP_ALIVE"]	300
_SERVER["HTTP_ACCEPT"]	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us,en;q=0.5
_SERVER["HTTP_HOST"]	hcmmonitor.hillsong.net
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9) Gecko/20071025 Firefox/2.0.0.9
_SERVER["REQUEST_TIME"]	1195961482
_SERVER["argv"]	Array ( )
_SERVER["argc"]	0
_ENV["ALLUSERSPROFILE"]	C:\Documents and Settings\All Users
_ENV["ClusterLog"]	C:\WINDOWS\Cluster\cluster.log
_ENV["CommonProgramFiles"]	C:\Program Files\Common Files

_ENV["COMPUTERNAME"]	HCMONITOR
_ENV["ComSpec"]	C:\WINDOWS\system32\cmd.exe
_ENV["FP_NO_HOST_CHECK"]	NO
_ENV["MIBDIRS"]	c:\php\extras\mibs
_ENV["NUMBER_OF_PROCESSORS"]	4
_ENV["OS"]	Windows_NT
_ENV["Path"]	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\Program Files\IBM\Director\bin;C:\php;c:\cygwin\bin;C:\net-snmp\bin;C:\Program Files\MySQL\MySQL Server 5.0\bin;c:\Perl\bin
_ENV["PATHEXT"]	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
_ENV["PHPRC"]	c:\php
_ENV["PROCESSOR_ARCHITECTURE"]	x86
_ENV["PROCESSOR_IDENTIFIER"]	x86 Family 15 Model 4 Stepping 3, GenuineIntel
_ENV["PROCESSOR_LEVEL"]	15
_ENV["PROCESSOR_REVISION"]	0403
_ENV["ProgramFiles"]	C:\Program Files
_ENV["SystemDrive"]	C:
_ENV["SystemRoot"]	C:\WINDOWS
_ENV["TEMP"]	C:\WINDOWS\TEMP
_ENV["TMP"]	C:\WINDOWS\TEMP
_ENV["USERPROFILE"]	C:\Documents and Settings\Default User
_ENV["windir"]	C:\WINDOWS

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).