



[Console](#) -> [Utilities](#) -> Technical Support

Create      **Technical Support**

[New Graphs](#)

Management      Date

[Graph Management](#)      Cacti Version

[Graph Trees](#)      Cacti OS

[Data Sources](#)      SNMP Version

[Devices](#)      RRDTool Version

Collection      Hosts

Methods      Graphs

[Data Queries](#)

[Data Input Methods](#)      Data Sources

Templates

[Graph Templates](#)      Interval

[Host Templates](#)      Type

[Data Templates](#)      Items

Import/Export

[Import Templates](#)      Concurrent Processes

[Export Templates](#)      Max Threads

[Export Templates](#)      PHP Servers

[Export Templates](#)      Script Timeout

Configuration      Max OID

[Settings](#)      Last Run Statistics

[Plugin Management](#)

Utilities      PHP Version

[System Utilities](#)      PHP OS

[User Management](#)      PHP uname

[User Management](#)      PHP SNMP

[Logout User](#)      max\_execution\_time

[Logout User](#)      memory\_limit

**General**

Tue, 17 Nov 2015 13:27:36 +0000

0.8.8f

unix

NET-SNMP version: 5.4.2.1

RRDTool 1.4.x

11

223

Script/Command: 5

SNMP: 120

SNMP Query: 62

Script Query - Script Server: 112

Total: 299

**Poller**

300

cmd.php

Action[0]: 245

Action[1]: 5

Action[2]: 223

Total: 473

**PHP**

5.3.17

Linux

Linux BRSAOLXVSMT01 3.0.76-0.11-default #

Installed

30

128M

**MySQL**

**Name**

cdef



cdef\_items  
colors  
data\_input  
data\_input\_data  
data\_input\_fields  
data\_local  
data\_template  
data\_template\_data  
data\_template\_data\_rra  
data\_template\_rrd  
graph\_local  
graph\_template\_input  
graph\_template\_input\_def  
graph\_templates  
graph\_templates\_gprint  
graph\_templates\_graph  
graph\_templates\_item  
graph\_tree  
graph\_tree\_items  
host  
host\_graph  
host\_snmp\_cache  
host\_snmp\_query  
host\_template  
host\_template\_graph  
host\_template\_snmp\_quer  
plugin\_config  
plugin\_db\_changes  
plugin\_hooks  
plugin\_realms  
poller  
poller\_command  
poller\_item  
poller\_output  
poller\_reindex  
poller\_time  
rra

rra_cf
settings
settings_graphs
settings_tree
snmp_query
snmp_query_graph
snmp_query_graph_rrd
snmp_query_graph_rrd_sv
snmp_query_graph_sv
user_auth
user_auth_perms
user_auth_realm
user_log
version

PHP Mod

## apache2handler

---

Apache Version	Apache/2.2.12 (Linux/SUSE)
Apache API Version	20051115
Server Administrator	root@localhost
Hostname:Port	cacti:0
User/Group	wwwrun(30)/8
Max Requests Per Child	10000
Timeouts	Keep Alive: on - Max Per Connection: 100 Connection: 300 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/srv/www
Loaded Modules	core prefork http_core mod_so mod_authz_host mod_actions mod_alias mod_auth_basic mod_authz_groupfile mod_authn_file mod_authz_user mod_autoindex mod_cgi mod_dir mod_include mod_log_config mod_mime mod_negotiation mod_setenvif mod_status mod_userdir mod_asis mod_imagemap mod_vhost_alias mod_reqtimeout mod_authz_default mod_php5

Directive

Local Value

Master Value

engine	1	1
last_modified	0	0
xbithack	0	0

## Apache Environment

Variable	
HTTP_HOST	10.0.0.75
HTTP_CONNECTION	keep-alive
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_UPGRADE_INSECURE_REQUESTS	1
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/42.0.2311.135 Safari/537.36
HTTP_REFERER	http://10.0.0.75/cacti/utilities.php
HTTP_ACCEPT_ENCODING	gzip, deflate, sdch
HTTP_ACCEPT_LANGUAGE	pt-BR,pt;q=0.8,en-US;q=0.6,en;q=0.4
HTTP_COOKIE	Cacti=rtf4bcc07n9lns7et4m8s24s7a6bsa7
PATH	/sbin:/usr/sbin:/usr/local/sbin:/root/bin:/usr/local/bin
SERVER_SIGNATURE	<address>Apache/2.2.12 (Linux/SUSE) PHP/5.4.16
SERVER_SOFTWARE	Apache/2.2.12 (Linux/SUSE)
SERVER_NAME	10.0.0.75
SERVER_ADDR	10.0.0.75
SERVER_PORT	80
REMOTE_ADDR	10.0.2.5
DOCUMENT_ROOT	/www
SERVER_ADMIN	root@localhost
SCRIPT_FILENAME	/www/cacti/utilities.php
REMOTE_PORT	55646
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	action=view_tech
REQUEST_URI	/cacti/utilities.php?action=view_tech
SCRIPT_NAME	/cacti/utilities.php

# HTTP Headers Information

## HTTP Request Headers

HTTP Request GET /cacti/utilities.php?action=view\_tech HTTP/1.1  
Host 10.0.0.75  
Connection keep-alive  
Accept text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,\*/\*;q=0  
Upgrade-Insecure-Requests 1  
User-Agent Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/46.0.2490.86 Safari/537.36  
Referer http://10.0.0.75/cacti/utilities.php  
Accept-Encoding gzip, deflate, sdch  
Accept-Language pt-BR,pt;q=0.8,en-US;q=0.6,en;q=0.4  
Cookie Cacti=rtf4bc07n9lns7et4m8s24s7a6bsa7um5kv2drg832g2h91i9qh1

## HTTP Response Headers

X-Powered-By PHP/5.3.17  
Expires Thu, 19 Nov 1981 08:52:00 GMT  
Last-Modified Tue, 17 Nov 2015 13:27:36 GMT  
Cache-Control no-store, no-cache, must-revalidate, post-check=0, pre-check=0  
Pragma no-cache  
P3P CP="CAO PSA OUR"

## Core

<b>Directive</b>	<b>Local Value</b>	M
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
doctype_ext	<i>no value</i>	<i>no value</i>
doctype_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	22527	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib64/php5/extensions	/usr/lib64/php
file_uploads	On	On
highlight.bg		
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000

highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.:/usr/share/php5:/usr/share/php5/PEAR	./usr/share/ph
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
request_order	GP	GP

safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/send
serialize_precision	17	17
short_open_tag	Off	Off
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

## ctype

---

ctype functions enabled

## date

---

date/time support enabled

"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	UTC	UTC

## dom

---

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## ereg

---

Regex Library	Bundled library enabled
---------------	-------------------------

## filter

---

Input Validation and Filtering	enabled
--------------------------------	---------

Revision \$Id: 2b8c730d7dfa8485d07cd792f0c82852ffe4113 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

## gd

---

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.7
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.31
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

## hash

---

hash support	enabled
--------------	---------

Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5
--------------------	--

## iconv

---

iconv support	enabled
iconv implementation	glibc
iconv library version	2.11.3

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

## json

---

json support	enabled
json version	1.2.1

## libxml

---

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

## mbstring

---

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	<code>^(text application/xhtml\ +xml)</code>	<code>^(text application/xhtml\ +xml)</code>
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mcrypt

---

<b>mcrypt support</b>	<b>enabled</b>
<b>mcrypt_filter support</b>	<b>enabled</b>
Version	2.5.8
Api No	20021217

Supported ciphers idea mars rc6 skipjack cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes

Supported modes cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

## mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

## mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	1
Client API version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>

mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

## mysqli

---

Mysqli Support	enabled
Client API library version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	Off	Off
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## mysqlnd

---

mysqlnd	enabled
Version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$

Compression	not supported
SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a

### Client statistics

bytes_sent	92599
bytes_received	65763
packets_sent	630
packets_received	1994
protocol_overhead_in	7976
protocol_overhead_out	2520
bytes_received_ok_packet	220
bytes_received_eof_packet	2565
bytes_received_rset_header_packet	1386
bytes_received_rset_field_meta_packet	50994
bytes_received_rset_row_packet	8403
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	305
packets_received_ok	20
packets_received_eof	285
packets_received_rset_header	276
packets_received_rset_field_meta	929
packets_received_rset_row	474
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	275
non_result_set_queries	1

no_index_used	123
bad_index_used	0
slow_queries	0
buffered_sets	275
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	199
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	199
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	199
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	1
rows_affected_ps	0
rows_skipped_normal	199
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	1141
command_buffer_too_small	0
connect_success	10
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	1
active_persistent_connections	0
explicit_close	9

implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	275
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_estrndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	110
proto_text_fetched_short	0
proto_text_fetched_int24	305
proto_text_fetched_int	95
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0

proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	567
proto_text_fetched_blob	15
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0

init_command_failed_count	0
com_quit	9
com_init_db	10
com_query	276
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	10
com_stmt_fetch	0
com_deamon	0
bytes_received_real_data_normal	5366
bytes_received_real_data_ps	0

**pcre**

---

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.8 2008-09-05

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

## PDO

---

PDO support	enabled
PDO drivers	mysql

## pdo\_mysql

---

<b>PDO Driver for MySQL</b>	<b>enabled</b>
Client API version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock

## Reflection

---

<b>Reflection</b>	<b>enabled</b>
Version	\$Id: 593a0506b01337cfaf9f63ebc12cd60523fc2c41 \$

## session

---

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	sha256	sha256
session.name	Cacti	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php5	/var/lib/php5
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

## **SimpleXML**

---

<b>Simplexml support</b>	<b>enabled</b>
Revision	\$Id: 236859686f5942354e440a6084ec07673710ab6c \$
Schema support	enabled

## **snmp**

---

NET-SNMP Support	enabled
NET-SNMP Version	5.4.2.1

## **sockets**

---

Sockets Support	enabled
-----------------	---------

## **SPL**

---

<b>SPL support</b>	<b>enabled</b>
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator
Classes	

RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator,  
RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo,  
SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap,  
SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject  
UnderflowException, UnexpectedValueException

## standard

---

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value
assert.active	1
assert.bail	0
assert.callback	<i>no value</i>
assert.quiet_eval	0
assert.warning	1
auto_detect_line_endings	0
default_socket_timeout	60
from	<i>no value</i>
safe_mode_allowed_env_vars	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>

## suhosin

---

---

This server is protected with the Suhosin Extension 0.9.33

---

Copyright (c) 2006-2007 Hardened-PHP Project

---

Copyright (c) 2007-2012 SektionEins GmbH

---

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
suhosin.apc_bug_workaround	Off	Off
suhosin.cookie.checkraddr	0	0
suhosin.cookie.cryptdocroot	On	On
suhosin.cookie.cryptkey	[ protected ]	[ protected ]
suhosin.cookie.cryptlist	<i>no value</i>	<i>no value</i>
suhosin.cookie.cryptraddr	0	0
suhosin.cookie.cryptua	On	On
suhosin.cookie.disallow_nul	1	1
suhosin.cookie.disallow_ws	1	1
suhosin.cookie.encrypt	Off	Off
suhosin.cookie.max_array_depth	50	50
suhosin.cookie.max_array_index_length	64	64
suhosin.cookie.max_name_length	64	64
suhosin.cookie.max_totalname_length	256	256
suhosin.cookie.max_value_length	10000	10000
suhosin.cookie.max_vars	100	100
suhosin.cookie/plainlist	<i>no value</i>	<i>no value</i>
suhosin.coredump	Off	Off
suhosin.disable.display_errors	Off	Off
suhosin.executor.allow_symlink	Off	Off
suhosin.executor.disable_emodifier	Off	Off
suhosin.executor.disable_eval	Off	Off
suhosin.executor.eval.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.eval.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.allow_writable_files	On	On
suhosin.executor.include.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.max_traversal	0	0
suhosin.executor.include.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.max_depth	0	0
suhosin.filter.action	<i>no value</i>	<i>no value</i>

suhosin.get.disallow_nul	1	1
suhosin.get.disallow_ws	0	0
suhosin.get.max_array_depth	50	50
suhosin.get.max_array_index_length	64	64
suhosin.get.max_name_length	64	64
suhosin.get.max_totalname_length	256	256
suhosin.get.max_value_length	512	512
suhosin.get.max_vars	100	100
suhosin.log.file	0	0
suhosin.log.file.name	<i>no value</i>	<i>no value</i>
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	0	0
suhosin.log.script	0	0
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.facility	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>
suhosin.log.use-x-forwarded-for	Off	Off
suhosin.mail.protect	1	1
suhosin.memory_limit	0	0
suhosin.mt_srand.ignore	On	On
suhosin.multiheader	Off	Off
suhosin.perdir	0	0
suhosin.post.disallow_nul	1	1
suhosin.post.disallow_ws	0	0
suhosin.post.max_array_depth	50	50
suhosin.post.max_array_index_length	64	64
suhosin.post.max_name_length	64	64
suhosin.post.max_totalname_length	256	256
suhosin.post.max_value_length	1000000	1000000
suhosin.post.max_vars	1000	1000
suhosin.protectkey	On	On
suhosin.request.disallow_nul	1	1

suhosin.request.disallow_ws	0	0
suhosin.request.max_array_depth	50	50
suhosin.request.max_array_index_length	64	64
suhosin.request.max_totalname_length	256	256
suhosin.request.max_value_length	1000000	1000000
suhosin.request.max_varname_length	64	64
suhosin.request.max_vars	1000	1000
suhosin.server.encode	On	On
suhosin.server.strip	On	On
suhosin.session.checkraddr	0	0
suhosin.session.cryptdocroot	On	On
suhosin.session.cryptkey	[ protected ]	[ protected ]
suhosin.session.cryptraddr	0	0
suhosin.session.cryptua	Off	Off
suhosin.session.encrypt	On	On
suhosin.session.max_id_length	128	128
suhosin.simulation	On	On
suhosin.sql.bailout_on_error	Off	Off
suhosin.sql.comment	0	0
suhosin.sql.multiselect	0	0
suhosin.sql.opencomment	0	0
suhosin.sql.union	0	0
suhosin.sql.user_postfix	<i>no value</i>	<i>no value</i>
suhosin.sql.user_prefix	<i>no value</i>	<i>no value</i>
suhosin.srand.ignore	On	On
suhosin.stealth	On	On
suhosin.upload.disallow_binary	0	0
suhosin.upload.disallow_elf	1	1
suhosin.upload.max_uploads	25	25
suhosin.upload.remove_binary	0	0
suhosin.upload.verification_script	<i>no value</i>	<i>no value</i>

## tokenizer

---

Tokenizer Support	enabled
-------------------	---------

## xml

---

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

## xmlreader

---

XMLReader	enabled
-----------	---------

## xmlwriter

---

XMLWriter	enabled
-----------	---------

## zlib

---

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.7
Linked Version	1.2.7

Directive	Local Value	Master Value
-----------	-------------	--------------

zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

## Additional Modules

### Module Name