

Data Source:

Barracuda - Storage

[*Turn On Data Source Debug Mode.](#)

Data Template Selection [edit: Barracuda - Storage]	
Selected Data Template The name given to this data template.	Barracuda - Storage
Host Choose the host that this graph belongs to.	Barracuda (172.16.30.5)
Supplemental Data Template Data	
Data Source Fields	
Name Choose a name for this data source.	Barracuda - Storage
Data Source Path The full path to the RRD file.	<path_rra>/barracuda_mail_storage_used_671.rrd
Custom Data	
IP-Adresse der Barracuda	172.16.30.5
<div>cancel save</div>	

Barracuda - Temperature

[*Turn On Data Source Debug Mode.](#)

Data Template Selection [edit: Barracuda - Temperature]	
Selected Data Template The name given to this data template.	Barracuda - Temperature
Host Choose the host that this graph belongs to.	Barracuda (172.16.30.5)
Supplemental Data Template Data	
Data Source Fields	
Name Choose a name for this data source.	Barracuda - Temperature
Data Source Path The full path to the RRD file.	<path_rra>/barracuda_sys_temperature_671.rrd
Custom Data	
IP-Adresse der Barracuda	172.16.30.5
<div>cancel save</div>	

Barracuda - Total

[*Turn On Data Source Debug Mode.](#)

Data Template Selection [edit: Barracuda - Total]	
Selected Data Template The name given to this data template.	Barracuda - Total
Host Choose the host that this graph belongs to.	Barracuda (172.16.30.5)
Supplemental Data Template Data	
Data Source Fields	
Name Choose a name for this data source.	Barracuda - Total
Data Source Path The full path to the RRD file.	<path_rra>/barracuda_allowed_671.rrd
Custom Data	
IP-Adresse der Barracuda	172.16.30.5

Data Input Method:

Data Input Methods [edit: Barracuda - Storage]				
Name Enter a meaningful name for this data input method.		<input type="text" value="Barracuda - Storage"/>		
Input Type Choose what type of data input method this is.		<input type="text" value="Script/Command"/>		
Input String The data that is sent to the script, which includes the complete path to the script and input sources in <> brackets.		<input type="text" value="/usr/bin/php <path_cacti>/scripts/barracuda_"/>		
Input Fields Add				
Name	Field Order	Friendly Name		
IPADDR	1	IP-Adresse der Barracuda		
Output Fields Add				
Name	Field Order	Friendly Name	Update RRA	
fw_storage_used	0 (Not In Use)	firmware storage used	Selected	
mail_storage_used	0 (Not In Use)	mail storage used	Selected	

Data Input Methods [edit: Barracuda - Temperature]				
Name Enter a meaningful name for this data input method.		<input type="text" value="Barracuda - Temperature"/>		
Input Type Choose what type of data input method this is.		<input type="text" value="Script/Command"/>		
Input String The data that is sent to the script, which includes the complete path to the script and input sources in <> brackets.		<input type="text" value="/usr/bin/php <path_cacti>/scripts/barracuda_"/>		
Input Fields Add				
Name	Field Order	Friendly Name		
IPADDR	1	IP-Adresse der Barracuda		
Output Fields Add				
Name	Field Order	Friendly Name	Update RRA	
temp	0 (Not In Use)	Temperature	Selected	

Data Input Methods [edit: Barracuda - Total]				
Name Enter a meaningful name for this data input method.		<input type="text" value="Barracuda - Total"/>		
Input Type Choose what type of data input method this is.		<input type="text" value="Script/Command"/>		
Input String The data that is sent to the script, which includes the complete path to the script and input sources in <> brackets.		<input type="text" value="/usr/bin/php <path_cacti>/scripts/barracuda_"/>		
Input Fields Add				
Name	Field Order	Friendly Name		
IPADDR	1	IP-Adresse der Barracuda		
Output Fields Add				
Name	Field Order	Friendly Name	Update RRA	
allowed	0 (Not In Use)	allowed mails	Selected	
blocked	0 (Not In Use)	blocked emails	Selected	
quarantined	0 (Not In Use)	quarantined	Selected	
tagged	0 (Not In Use)	allowed tagged	Selected	
viruses	0 (Not In Use)	blocked viruses	Selected	

Graph Templates:

Graph Template Items [edit: Barracuda - Opposit]						Add
Graph Item	Data Source	Graph Item Type	CF Type	Item Color		
Item # 1	(quarantined): Quarantined	AREA	AVERAGE	862F2F	↕↕	✖
Item # 2	(quarantined): Current:	GPRINT	LAST		↕↕	✖
Item # 3	(quarantined): Average:	GPRINT	AVERAGE		↕↕	✖
Item # 4	(quarantined): Maximum:<HR>	GPRINT	MAX		↕↕	✖
Item # 5	(tagged): Tagged	STACK	AVERAGE	00A348	↕↕	✖
Item # 6	(No Task): Current:	GPRINT	LAST		↕↕	✖
Item # 7	(No Task): Average:	GPRINT	AVERAGE		↕↕	✖
Item # 8	(No Task): Maximum:<HR>	GPRINT	MAX		↕↕	✖
Item # 9	(allowed): Allowed	STACK	AVERAGE	00FF00	↕↕	✖
Item # 10	(allowed): Current:	GPRINT	LAST		↕↕	✖
Item # 11	(allowed): Average:	GPRINT	AVERAGE		↕↕	✖
Item # 12	(allowed): Maximum:<HR>	GPRINT	MAX		↕↕	✖
Item # 13	(viruses): Viruses	AREA	AVERAGE	FF7D00	↕↕	✖
Item # 14	(viruses): Current:	GPRINT	LAST		↕↕	✖
Item # 15	(viruses): Average:	GPRINT	AVERAGE		↕↕	✖
Item # 16	(viruses): Maximum:<HR>	GPRINT	MAX		↕↕	✖
Item # 17	(blocked): Blocked	STACK	AVERAGE	6DC8FE	↕↕	✖
Item # 18	(blocked): Current:	GPRINT	LAST		↕↕	✖
Item # 19	(blocked): Average:	GPRINT	AVERAGE		↕↕	✖
Item # 20	(blocked): Maximum:<HR>	GPRINT	MAX		↕↕	✖

Graph Item Inputs		Add
Name		
today_allowed		✖
today_blocked		✖
today_quarantined		✖
today_tagged		✖
today_viruses		✖

Template [edit: Barracuda - Opposit]	
Name	Barracuda - Opposit
The name given to this graph template.	
Graph Template	
Title	Barracuda - Total Performance
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Image Format	PNG
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Height	120
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Width	500
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Scale	<input checked="" type="checkbox"/> Auto Scale
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Scale Options	<input type="radio"/> Use --alt-autoscale
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Logarithmic Auto Scaling (--logarithmic)	<input checked="" type="radio"/> Use --alt-autoscale-max
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Rigid Boundaries Mode (--rigid)	<input type="checkbox"/> Logarithmic Auto Scaling (--logarithmic)
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Padding	<input checked="" type="checkbox"/> Rigid Boundaries Mode (--rigid)
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Allow Graph Export	<input checked="" type="checkbox"/> Auto Padding
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Upper Limit	<input checked="" type="checkbox"/> Allow Graph Export
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Lower Limit	10000
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Base Value	0
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
	1000
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	

Graph Template Items [edit: Barracuda - Storage]						Add
Graph Item	Data Source	Graph Item Type	CF Type	Item Color		
Item # 1	(mail_storage_used): Mail Storage	AREA	AVERAGE	6DC8FE	↕↕	✖
Item # 2	(mail_storage_used): Current:	GPRINT	LAST		↕↕	✖
Item # 3	(mail_storage_used): Average:	GPRINT	AVERAGE		↕↕	✖
Item # 4	(mail_storage_used): Maximum:<HR>	GPRINT	MAX		↕↕	✖
Item # 5	(fw_storage_used): Firmware	LINE1	AVERAGE	FF5700	↕↕	✖
Item # 6	(fw_storage_used): Current:	GPRINT	LAST		↕↕	✖
Item # 7	(fw_storage_used): Average:	GPRINT	AVERAGE		↕↕	✖
Item # 8	(fw_storage_used): Maximum:<HR>	GPRINT	MAX		↕↕	✖

Graph Item Inputs		Add
Name		
Data Source [fw_storage_used]		✖
Data Source [mail_storage_used]		✖

Template [edit: Barracuda - Storage]	
Name	Barracuda - Storage
The name given to this graph template.	

Graph Template	
Title	Barracuda - Storage
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Image Format	PNG
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Height	120
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Width	500
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Scale	<input checked="" type="checkbox"/> Auto Scale
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Scale Options	<input type="radio"/> Use --alt-autoscale
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Logarithmic Auto Scaling (--logarithmic)	<input checked="" type="radio"/> Use --alt-autoscale-max
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Rigid Boundaries Mode (--rigid)	<input type="checkbox"/> Logarithmic Auto Scaling (--logarithmic)
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Padding	<input type="checkbox"/> Rigid Boundaries Mode (--rigid)
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Allow Graph Export	<input checked="" type="checkbox"/> Auto Padding
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Upper Limit	<input checked="" type="checkbox"/> Allow Graph Export
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Lower Limit	100
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Base Value	0
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Unit Grid Value	1000
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Unit Exponent Value	
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	

Graph Template Items [edit: Barracuda - Total]						Add	
Graph Item	Data Source	Graph Item Type	CF Type	Item Color			
Item # 1	(viruses): Viruses	AREA	AVERAGE	FF7D00	↕	↕	✖
Item # 2	(viruses): Current:	GPRINT	LAST		↕	↕	✖
Item # 3	(viruses): Average:	GPRINT	AVERAGE		↕	↕	✖
Item # 4	(viruses): Maximum:<HR>	GPRINT	MAX		↕	↕	✖
Item # 5	(quarantined): Quarantined	STACK	AVERAGE	862F2F	↕	↕	✖
Item # 6	(quarantined): Current:	GPRINT	LAST		↕	↕	✖
Item # 7	(quarantined): Average:	GPRINT	AVERAGE		↕	↕	✖
Item # 8	(quarantined): Maximum:<HR>	GPRINT	MAX		↕	↕	✖
Item # 9	(No Task): Tagged	STACK	AVERAGE	00A348	↕	↕	✖
Item # 10	(No Task): Current:	GPRINT	LAST		↕	↕	✖
Item # 11	(No Task): Average:	GPRINT	AVERAGE		↕	↕	✖
Item # 12	(No Task): Maximum:<HR>	GPRINT	MAX		↕	↕	✖
Item # 13	(allowed): Allowed	STACK	AVERAGE	00FF00	↕	↕	✖
Item # 14	(allowed): Current:	GPRINT	LAST		↕	↕	✖
Item # 15	(allowed): Average:	GPRINT	AVERAGE		↕	↕	✖
Item # 16	(allowed): Maximum:<HR>	GPRINT	MAX		↕	↕	✖
Item # 17	(blocked): Blocked	STACK	AVERAGE	6DC8FE	↕	↕	✖
Item # 18	(blocked): Current:	GPRINT	LAST		↕	↕	✖
Item # 19	(blocked): Average:	GPRINT	AVERAGE		↕	↕	✖
Item # 20	(blocked): Maximum:<HR>	GPRINT	MAX		↕	↕	✖

Graph Item Inputs		Add
Name		
today_allowed		✖
today_blocked		✖
today_quarantined		✖
today_tagged		✖
today_viruses		✖

Template [edit: Barracuda - Total]	
Name	Barracuda - Total
The name given to this graph template.	

Graph Template	
Title	Barracuda - Total Performance
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Image Format	PNG
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Height	120
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Width	500
<input type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Scale	<input checked="" type="checkbox"/> Auto Scale
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Scale Options	<input type="radio"/> Use --alt-autoscale <input checked="" type="radio"/> Use --alt-autoscale-max
Logarithmic Auto Scaling (--logarithmic)	<input type="checkbox"/> Logarithmic Auto Scaling (--logarithmic)
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Rigid Boundaries Mode (--rigid)	<input checked="" type="checkbox"/> Rigid Boundaries Mode (--rigid)
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	
Auto Padding	<input checked="" type="checkbox"/> Auto Padding
<input checked="" type="checkbox"/> Use Per-Graph Value (Ignore this Value)	